



## **ERADICATOR**

**FOR THE PREVENTION OF THE SPREAD OF CITRUS  
CANKER**

**FOR THE PREVENTION OF THE SPREAD OF  
CITRUS CANCKER**

**Ingredients**

**Active Ingredient:**  
**Copper Sulfate Pentahydrate\*...(CAS No. 7758-99-8).....19.8%**  
**Other Ingredients:.....80.2%**  
**Total.....100.0%**

**\*Equivalent to 5.0% metallic copper  
A Chelated Copper Product**

**EPA REG. NO. 66675-4  
EPA EST. NO. 66675-FL-001  
LOT NO. \_\_\_\_\_**

**Net Contents: 1 U.S. Gallon  
9.9 Lbs. Per U.S. Gallon**

**9.45 Liters  
1.188 kg/l**

**Manufactured by: MAGNA-BON II, LLC  
1531 NW 25<sup>th</sup> Drive  
Okeechobee, Fl. 34972-2046  
1-863-357-0400**

# KEEP OUT OF THE REACH OF CHILDREN DANGER

<b>FIRST AID</b>	
<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment.</li> </ul>
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to do so.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
<b>If Inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> </ul>
<b>If on Skin</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a Poison Control Center or Doctor or going for treatment. You may also contact 1-800-424-9300 (Chemtrec) for emergency medical treatment information.	

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Magna-Bon Eradicator is a copper sulfate pentahydrate formulation used for the control of the spread of citrus canker between hard, inanimate surfaces, and from these surfaces to citrus plants (not for treatment of infected plants).

### CITRUS CANKER CONTAMINATION WASH AND DRENCH STATIONS

In Citrus Canker Contamination Wash and Drench Stations: For the prevention of the spread of Citrus Canker Disease between hard, impermeable surfaces and from these surfaces to citrus plants (not for the treatment of infected citrus plants). Before adding Magna-Bon Pro-Teck to tank, adjust the pH of the carrier water to seven (7) or below. Treat all trucks, vehicles, and equipment thoroughly at the dilution rate of one (1) gallon Magna-Bon Pro-Teck to each one thousand (1,000) gallons of water. Treatment can be applied to all hard, non-porous clothing such as shoes, gloves, etc., trucks, attached trailers, field harvesting equipment, including cargo areas, wheels, tires, under carriage, hood, roof, fenders and any other parts of transportation equipment that can be taken into infested areas.

Treatments are made by trigger spraying (using a coarse spray), dipping or brushing. Do not apply to soft, porous clothing and footwear worn. These soft, porous clothing should be laundered separately without the application of this product. Wetted objects must stay wet for a minimum of sixty (60) seconds. Pre-clean all surfaces before treatment.

## STORAGE AND DISPOSAL

**Prohibition:** Do not contaminate water, food or feed by pesticide storage or disposal.

**Storage:** Store in a safe place away from PETS AND KEEP OUT OF THE REACH OF CHILDREN. Store away from excessive heat. Magna-Bon Eradicator will freeze. Always keep container closed. Store Magna-Bon Eradicator in its original container only. Bulk Magna-Bon Eradicator shall be stored and handled in 316L stainless steel, fiberglass, PVC=s, polypropylene or plastic equipment.

**Pesticide Disposal:** Excess Magna-Bon Eradicator should be disposed of through label use. Do not contaminate lakes, rivers, or streams as this may cause a fish kill. Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office for guidance. In the event of a spill, neutralize with limestone or baking soda before disposal. Concentrate may deteriorate concrete.

**Container Disposal:** Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures. Rinsing and reuse of Atotes® is permissible.

## PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

### DANGER

**Corrosive:** May cause irreversible eye damage. Do not get into eyes or on clothing. Wear goggles or safety glasses. Harmful if swallowed, inhaled or absorbed through the skin. May cause allergic skin response. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before re-use. Wash thoroughly with soap and water after handling.

## ENVIRONMENTAL HAZARDS

Do not apply directly to water, except as specified on this label. Do not contaminate water by disposal of equipment washwaters or rinsate.

## APPLICATION AND HANDLING EQUIPMENT

Application, handling or storage equipment **must** consist of either fiberglass, PVC=s, polypropylene, viton, most plastic or 316L stainless steel. Never use mild steel, nylon, brass or copper around full strength Magna-Bon Eradicator. Always rinse equipment free and clean of Magna-Bon Eradicator with plenty of fresh clean water. Concentrate will destroy cotton and nylon clothing. Always store Magna-Bon Eradicator above 32°F. Do not allow Magna-Bon Eradicator to freeze. Freezing may cause separation. Seller makes no warranty for the performance of product that has been frozen.

## LIMITED WARRANTY AND LIMITATIONS OF REMEDIES

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label for use under normal conditions, but makes no other warranties of FITNESS OR MERCHANTABILITY expressed or implied, or any other warranty if the product is used contrary to the label instructions or under abnormal conditions not foreseeable to the seller. In no case shall the seller be liable for more than the cost of the product to the buyer, and will in no event be liable for any consequential special or indirect damages connected with the use or handling of this product. This product is offered and the buyer or user accepts its subject to the foregoing terms which may not be varied.